### For Earth, For Life Kubota




## **KUBOTA M5002 SERIES**

M5-092 - M5-112











### M5002: The smart go-getter

The Kubota M5002 is the smart go-getter in its class—an extremely maneuverable professional tractor that proves that true greatness comes from within. With its powerful engine, excellent transmission, high ground clearance and exceptionally simple operating controls, it quickly becomes indispensable for daily work. Put it to work and watch it take care of tough jobs quickly and effortlessly.

Cab models



**ROPS** models











### **Extremely powerful**

The 4-cylinder engines with 95 and 115 hp (ECE R 120) have impressively reliable power and high efficiency.

### **Environmentally friendly**

Of course, the V3800 engine meets the strict requirements of the Stage V Final emission standard

### Smooth operation

With its 36 forward and 36 reverse gears (for cab models) and 18 forward and 18 reverse gears for ROPS models), shifting gears in the M5002 is extremely smooth and comfortable.



### Highly maneuverable

The front axle bevel-gear with greater all around maneuverbility and higher ground clearance make the M5002 extremely agile and maneuverable.

### Surprisingly comfortable

The comfortable and generous cab provides an optimal panoramic view. Thanks to the clear arrangement of all control elements, not a movement is wasted.

### Impressively precise

The M5002 is much more than a tractor. With ISOBUS retrofit terminals and Kubota implements, it is the answer to any challenge. And with the potential of precision farming solutions, it saves time and money.

## Market-leading technology under the bonnet

A tractor like the Kubota M5002 is designed for different tasks that require excellent manoeuvrability as well as the demanding operation of PTO-driven implements. Thanks to its ingenious engine technology, the M5002 can handle such tasks with ease while being environmentally friendly at the same time.

Powerful, reliable, clean, and quiet—the V3800 four-cylinder engines in the two M5002 series models M5-092 and M5-112 impress with their proven, reliable performance and higher efficiency, also benefitting the environment. This is possible due to the globally leading diesel engine technology

### This combination makes all the difference


The common rail system (CRS) optimises combustion, resulting in a durable and quiet engine. Kubota is the first tractor manufacturer to use a common rail injection system together with an SCR catalytic converter, AdBlue®, water-cooled exhaust gas recirculation (EGR), diesel particulate filter (DPF), and diesel oxidation catalytic converter (DOC). The combination of this market-leading technology produces excellent performance values with optimised fuel efficiency. It goes without saying that the V3800 engine with 16 valves meets the strict requirements of the latest Euro Stage V emission standards.

### An engine optimised for performance and torque

With the new engines for the M5002, Kubota has improved performance and torque values while simultaneously lowering the engine speed level. It now runs more quietly, offers greater wear resistance and lower fuel consumption.

### Useful speed monitoring

The engines also feature a new electronic speed controller to govern the speed of the engine. Once the system has been activated, the speed remains constant, even when the demand for power varies. As a result, PTO-driven implements can be run more efficiently.



Operating your tractor is bound to include some of the same recurring tasks, such as certain PTO driven jobs. That is where the integrated speed memory comes into play. You can recall each setting with just the touch of a button. Without any further adjustments, you're ready to go.

### Maintenance in a fast, convenient, and efficient way

Knowing that you have more important things to do than spending a lot of time on maintenance, we made sure the M5002 sets the benchmark here too. The tractor's one-piece bonnet opens wide, allowing easy, unhindered access to all maintenance points. Filling up is just as easy as maintenance. The 105-litre diesel tank and the 12.3-litre AdBlue® tank can be safely and conveniently filled up from the ground.



## Easily change into a higher gear

You will really like the user-friendly transmission of the M5002, as it makes shifting gears smooth and comfortable. With its 36 forward and 36 reverse gears in the cabin version and 18 forward and reverse gears in the M5002 ROPS models, it's got all requirements covered – those on arable and grassland farms as well as those of vegetable growers.

### Direct, smooth gear shifting

The performance of the powershift reversing transmission in the M5002 is just as astounding as that of the engine. Six synchronized switching gears with two-speed powershift in three groups give you a total of 36 forward and 36 reverse gears, or 18 forward and reverse gears in the ROPS models. The transmission enables direct, extremely smooth gear shifting.



### The right gear for any task

With just a single shift lever, the fully synchronised transmission provides the power and efficiency you need for everyday work. Whether fast and fuel-efficient transport trips, quick pasture jobs, or accurate field work—the transmission is optimally matched to any task. Even vegetable farmers are sure to find the right gear in the standard creeper speed group.

### Sensitive and precise hydraulic shuttle

The drive clutch can be operated very precisely for coupling machinery. For such slow manoeuvers, you can use the clutch pedal to control a hydraulic valve that engages the clutch smoothly and precisely. This will give you easier operation that is less strenuous.

### Drive fast and save fuel at the same time

The tractor's transmission cruising gear keeps the engine speed low thanks to the overdrive technology for high-speed trips. This 40-ECO transmission gets you to your destination quickly and saves fuel at the same time.

### Easy change of direction

With the electro-hydraulic shuttle lever of the Kubota M5002, you can change direction faster and easier than ever, without having to use the clutch. Just move the hydro shuttle briefly forwards and backwards.



The shuttle lever is within easy reach on the left side of the steering wheel. The tractor does not need to come to a stop to perform this shuttle operation. When working with the front loader, which requires frequent backand-forth movements, it's a true blessing to be able to change direction without having to press the clutch every time. Increased productivity is guaranteed.

### Safety on board

Kubota positioned the park lock separately from the shift lever in the M5002. You can quickly set the brake and release it again at the push of a button.

Did you know that Kubota has held a leading position in the fields of construction machinery and compact tractors for many years in Europe? You will find the same experience and keys to success applied to the professional agricultural market.





### **#Hydraulics**



## A strong partner: lift heavy loads with ease

The hydraulic power and lift capacity of the M5002 speak for themselves. It can lift a combination of front and rear disc mowers with ease. So you can really get things moving, literally.

### Raise rear implements effortlessly

The strong 3-point category II power lift enables the M5002 to raise heavy attachments with ease. Various machines can be quickly and easily attached and removed. In combination with the outstandingly powerful 3-point lift, you can handle even the most challenging tasks with great efficiency.

Lift heavy loads with ease and power where needed. The hydraulics of the M5002 are extremely powerful and respond quickly. External hydraulic cylinders for easy maintenance increase the lift capacity. The hydraulic pump has the capacity to guarantee both rapid and effective front loader operation, thereby improving productivity and performance. The standard equipment includes two control valves and an additional hydraulic valve with or without flow control as options.

### Optimised machine operation

The hitch control system of the M5002 allows optimal use of rear implements. The position control controls the attached equipment independently of the required tractive power. The draft control in turn regulates the tractive power required for the machine and automatically reacts to different soil conditions in order to maintain constant traction. Both control methods can also be used together in draft mix.



### **Highly efficient PTO work**

Whether you are cutting grass, baling, or spraying, you can always count on the independent PTO shaft at 540 rpm or 540 Eco rpm, anywhere and anytime. The PTO shaft brake engages automatically when the PTO shaft is disengaged, which brings the implements to a safe standstill. The PTO shaft clutch can be engaged and disengaged electro-hydraulically while in operation. This makes tasks such as mowing or haymaking even more efficient. On request, the tractor can also be equipped with a 1,000 PTO shaft.





## Get used to lots of room

The Ultra Grand Cab II of the Kubota M5002 offers more space than anyone would expect for the vast majority of tractors in this performance class. The comfortable cab not only provides a unique sense of spaciousness, it also guarantees a pleasant interior environment and excellent panoramic visibility. Climb in and feel at ease. In combination with the newly designed bonnet, the M5002 provides an excellent view in all directions.

The tractor cab is your "mobile office" for much of the day. Kubota knows how important a pleasant workspace is, which is why the Ultra Grand Cab II of the M5002 has been designed to help you perform your tasks with the utmost comfort and efficiency. With standard equipment such as air conditioning and a skylight window with sunshade, it provides great comfort and high levels of productivity throughout the year.

### Easy and convenient entry and exit

Convenience and comfort begin with the doors. The large, continuous glass doors of the M5002 open wide and ensure safe, unhindered entry and exit on both sides—ideal when you are on and off the tractor a lot. The level platform, perfectly positioned pedals, and unobstructed skylight support this concept and provide generous headroom and legroom.

### Clear view on all sides

There are very few cabs in this class that provide such excellent visibility of the implements and the immediate working environment. It starts with the fact that Kubota has equipped the cab with curved glass. Not only does this produce less glare, but the glass also provides a feeling of spaciousness and impressive visibility in all



directions: the generous glass surfaces, narrow cab pillars, and elegantly sloping bonnet all contribute to this, as does the exhaust pipe positioned at the side of the cab. Thanks to the all-glass doors, you also have a very good overview of the front implements.

### Always under control, even at night

A high-performing LED work-light package is now available. As a result, you benefit from better visibility in the dark and extended work days.





# Comfortable seating guaranteed

Adjust the cushioned driver's seat according to your preferences. With its high backrest and moveable armrests, it incorporates luxury and convenience, as well as allowing fatigue-free and concentrated work in the field and on the farm. Of course, the M5002 is also available with an air-suspended seat for even greater driving comfort.





### Plenty of passenger space

There's also a comfortable spot reserved for an passenger, which is offered as an optional seat. If the instructor seat is not needed, then it can simply be folded down to make more space.

### Great climate all year

The M5002 offers complete climate comfort. The standard air conditioning and heating system located underneath the driver's seat fulfils your individual climate preferences. The curved glass and intelligently positioned air nozzles on the steering column circulate the air optimally throughout the cab. You can keep a cool head on hot summer days, as well as being cosy and warm on cold mornings. For your convenience, your Kubota dealer can install an optional electric defogger kit in the M5002. This gives you a clear rear view even in rough weather conditions.

### Practical skylight with sunshade

The standard glass skylight lets even more light into the cab. The skylight is particularly useful when working with the fully raised front loader or a pallet fork, for instance. You have a great view of the tools mounted on the front loader without leaving your comfortable seat. In case the sun blinds you during field work or transport trips, it won't do so for long—the retractable sunshade covers the glass skylight to keep the sun at a distance.

The convenience offered by the Ultra Grand Cab II is on a par with the excellent visibility. The comfortable driver's seat and sophisticated cab air conditioning system provide the best conditions for long, pleasant hours on the tractor. See for yourself! You're cordially invited to a long, relaxed work day.



# You'll gladly take to the wheel in the M5002

The operating concept of the Kubota M5002 is designed for productive work and good ergonomics. As a result, you can concentrate fully on the tasks at hand and achieve optimal results—while remaining relaxed. A steering wheel that gets out of the way.

### Did you know?

Did you know that Kubota
manufactures products in
seven European countries?
This proximity to the market is
central to the company's
philosophy. Each factory adheres
to the same high Japanese
quality standards, whether it is
located in Germany, France,
or Japan.





The handy steering wheel can be tilted forward when you exit the cab. Back in the seat, you can move it right back into its starting position. Simply press a pedal. Kubota has optimised the angle of the steering wheel, which gives you better visibility of the instrument panel and towards the front.

### Functional platform for greater efficiency

In daily use, every move counts. Kubota has therefore redesigned the cab of the M5002 for improved ergonomics. Almost all central control elements are located right where they belong: ergonomically arranged on the right-hand side next to the driver's seat for easy access. You will appreciate the clear arrangement and their intuitive operation. This allows you to control the implements with precision and to perform loading work with greater ease, while having to move around less in the process. In other words, your work day will be more efficient.

The control elements in the cab ceiling are also easy to reach and adjust. Inspired by the control elements of a passenger car, they are intuitive to use and do not get in the way.

### Everything of importance at a glance

Precise information at a glance is the guiding principle of the new, clearly laid out instrument panel display of the M5002. Easy to read and with the same design as its "big brothers"—the Kubota M7003 and the Kubota M6002—all of the important operating data is available to you in an instant.

### Ample storage space

Need room for your thermos flask, cup, notepad, etc.? Take them along! The M5002 offers plenty of storage space.



A tractor often requires no cabin. That's where the ROPS version of the M5002 is the ideal choice. This tractor, with its open platform and rollbar, enables you to get on and off quickly on both sides thanks to its flat floor and the absence of doors. Kubota provides this tractor with a electrohydraulic shuttle reverser and 18 forward and reverse gears, which can be shifted very smoothly.

### Waterproof controls

As with the cabin version of the M5002, all controls are ergonomically positioned to the right of the driver – the only difference is that they are waterproof in the ROPS version. You can rely on that, even in the pouring rain!

### Low-noise operation

Despite its open design, the M5002 version of the M5002 is pleasantly quiet. When working for hours on end, you will surely appreciate that.



## A breath of fresh air for your work

There are several reasons why you might want to do without a cabin on a tractor: If you have to get on and off frequently, require an even better all-round view, or simply like working in the open. The ROPS version of the M5002 gives you all of that – including the excellent technology of the tractor.

M5002 -



### Unmatched all-round visibility

Many tasks require unhindered visibility, for example when doing tricky front loader work. This tractor gives you all-round 360° views in all situations. Nothing restricts your view. This is also ensured by the newly designed dashboard, which enables an optimal view to the front.

### Height-adjustable roll bar

The ROPS version of the M5002 has a height-adjustable roll bar. You merely need to unlock two easily accessible pins, and you can adapt the roll bar height to your individual needs with hydraulic assist cylinder. This can be a great advantage if you have very low barn doors on your farm. Then the M5002 can also be your barn tractor.

## Would you like a little more?

In terms of maneuverability, the Kubota M5002 is in a class of its own. You can see evidence of this whenever things get really tight. The tractor also scores bonus points in traction and ground clearance—further convincing reasons to go with the Kubota M5002.

Did you know?

Gonshiro Kubota founded the company because he could no longer stand to see people dying from contaminated drinking water. He began by manufacturing products for clean water supply. Since then, we have been offering various products that help to improve the living conditions of people and society. That's what "For Earth, For Life" stands for



The front axle with bevel gear drive makes the M5002 extremely maneuverable, featuring a terrific 55° steering angle. This makes the tractor predestined for jobs in tight quarters. For over 30 years, Kubota has been using front axles with bevel gear drives. For good reason, as this combination is not only responsible for the very tight turning radius, but also allows for the elimination of the highmaintenance universal joints.

### Extraordinarily gentle

On account of its front axle, the M5002 offers high ground clearance that is hard to find in this class. Sensitive crops are thus treated more gently when the tractor passes over them. The same is true when making hay or straw, as large swaths remain undamaged.

### **Enormous tractive power**

When dependable tractive power is critical under challenging soil conditions, you can count on the M5002's standard front axle with limited slip differential. It ensures a uniform travel speed, even in the case of slippage. Furthermore, heavier loads can be towed and more grip is available for loading tasks.





Slippage is controlled during turns. Under difficult terrain conditions, you can additionally engage the rear differential lock.

### Braking comes easy

All M5002s are equipped with dual brake lines to ensure a great performance in difficult circumstance, for example with a heavier trailer. The M5002 is also equipped with multidisc brakes running in an oil bath. They require less pedal force, which in turn makes your life easier. Even under recurring tough working conditions, they retain their high performance and braking power.

### Four wheel drive easily engaged and disengaged

Engage and disengage the four wheel drive with a simple press of a button. The best part of it is that the tractor doesn't have to be stopped, even when transitioning from the field to the road. This helps your productivity and an LED indicator displays the current status. When the brake is pressed, four wheel drive is automatically engaged for better braking power.



### Did you know?

Did you know that Kubota is not only one of the top-50 most recognised brands in Japan, but also one of the largest tractor manufacturers in the world? In 2014 alone, Kubota produced more than 180,000 tractors.



Whether you need to work with a manure fork, pallet fork, bale fork, or a bucket – each of them can be quickly attached and removed from the LA1854 front loader thanks to the standard EURO hitch interface.

# Tractor and front loader: from a single source, perfectly compatible

M5002 plus LA1854 provides a winning formula for perfect compatibility between the tractor and front loader. Both are from the same source—Kubota. You can be sure that everything is optimally matched. See for yourself, in real-world conditions on your own farm.

The modern designed bonnet provides great visibility towards the front loader or front implement. This ensures a good overall view and safety during your work. Talking about safety, the anti-lowering valves keep the front loader in its position even in cases of hydraulic pressure lost.

### Quick couplings that deserve their name

Whether you need to work with a manure fork, pallet fork, bale fork, or a bucket—each one of them can be quickly attached and removed from the M-series front loader. The standard Euro quick coupling is used wherever tools with Euro mounts are attached, heavy loads are handled, and high lift capacity is required. With the optional Kubota quick coupler, you can connect all four or six hydraulic lines at once and disconnect them just as easily.

### Great comfort for the driver

The KSR (Kubota Shockless Ride) vibration damping system substantially minimises the shocks experienced by the


driver, which can occur when working on bumpy terrain or during long-distance transport trips, for example. This function can be adjusted or switched on and off using the control below the KSR valve. You can control the front loader with the easy-to-reach joystick on the right-hand side panel of the M5002. Front loader work becomes fast and efficient.

### Attach and remove the front loader without any tools

You can attach and remove the front loader without the use of any tools. The integrated supports and two connection pins make doing so a breeze. The benefits are twofold: besides higher productivity, the range of the tractor's applications is extended.

The Kubota LA1854 front loader has various loader options, which surely include the right one for you. With different valve options for the first, second, third, and fourth hydraulic functions, you can increase the number of possible front

loader applications even further, for example with additional hydraulically controlled attachments.



## Time is money – save both with the M5002

The agricultural sector has nothing to give away. This is true today more than ever. With the retrofit ISOBUS and Precision Farming solutions for the M5002, you can apply pesticides, fertilizers, and seeds in an efficient, precise, and economical manner. The tractor and productive resources are put to optimal use.



Did you know?

Did you know that Kubota is an ISOBUS pioneer? The Kubota company Kverneland Group invented the ISOBUS technology. And incidentally: Kubota is also leading the industry in AEF certifified ISOBUS compatibilites.







The M5002 can be equipped with retrofit kits, which means that your M5002 becomes an ISOBUS tractor with which you can use any ISOBUS device or machine on the market without limitations. This saves time and money, allowing you to complete your work stress-free.

### ISOBUS on board

The terminals are ISOBUS-certified. The connector makes it possible to display the ISOBUS devices in the cab on the IsoMatch Tellus 12-inch or IsoMatch Tellus Go 7-inch monitor. All device settings can be accessed from the touchscreen display by your seat and you can adjust the monitors to your liking.

The two operating terminals are certified according to ISO 11783, the ISOBUS certification for tractors and devices. Up to four cameras can be displayed on one monitor. The terminals have a number of shortcut switches that enable fast and easy switching between screens.

On the IsoMatch Tellus 12-inch, two different screens are displayed at the same time, which means two different pieces of information or even two different ISOBUS machines.

### Wide-ranging assistance

In addition to the ISOBUS terminals, a steering LED bar can be used to enable the driver to carry out manual guidance and increase the precision of the M5002.


### Efficient use of resources

The GEOCONTROL function included in the Kubota terminals, in combination with GNSS receivers, allow you to use the section control application and/or the variable rate function. These functions can be used with ISOBUS implements, such as the precision seeders, spreaders, or sprayers. These functions save costs and resources by saving time, overlaps, fertilizer, and seeds. All jobs with the terminals can be exported to offer perfect traceability.



### Section contro

With the automatic section control license, the implement is able to manage the opening and closing of the sections by itself. This saves costs and increases driver comfort.



### Variable rate

With the automatic variable rate license, the implement is able to independently manage the rate in combination with prescription maps. This increase the yield per hectare, saves costs and increases driver comfort.

# Kubota Farm Solutions: 360° performance for 100% success

We understand that you need more than a powerful tractor to succeed: namely, an integrated system of products and services to increase your competitiveness and preparation for the future. With Kubota Farm Solutions (KFS), we have brought together our solutions in one system—and targeted our proposition to you. From intelligent technology to individual services, the KFS advantages complement each other, forming a circle that ends where it begins: with our commitment to support you better every time, now and in the future.





### **Performance**

You have a clear objective: to get your work done productively and successfully while being relaxed. Kubota offers you the equipment that can best support you in this endeavour. Whichever tractor or implements you decide on, you can always count on proven quality, excellent performance, and co-ordinated features. In short: intelligent and reliable technology that gets you a decisive step closer to your goal.



### Control

You want full control over what you are doing. Kubota provides you with perfectly integrated systems to help you achieve that. From machine optimisation to implement monitoring, you can control the tractor and resources easily from a single terminal. This not only provides you with a better overview of all work processes, but also allows you to work without stress.



### **Optimisation**

You know exactly how you want to get your work done: efficiently, precisely, and most comfortably. Kubota gives you everything you need to obtain optimal results while remaining at ease. With our ISOBUS technology, precision farming solutions, and automatic steering system, you can apply seeds, fertilisers, and pesticides with extreme precision. This lowers your costs and reduces your workload.



### **Value protection**

You know what it takes to be commercially successful: top performance with every task and top conditions over many years. Once again, Kubota offers solutions that fulfil what they promise. Your Kubota tractor is already protected by 3 year manufacturer warranty right from the start. If you want, you can even extend your warranty to protect the value of your investment, avoid expensive downtimes, and remain profitable over the long term.



### Finance management

You want to improve your productivity, but not at any cost. With Kubota Finance, you can make your planned investment with ease, convenience, and safety. Whether financing or leasing, you benefit from professional advice and attractive conditions. All you need in order to gain the advantages of a technology that drives your success forward. Whether you need machines or services, you have full control of the costs.

### Getting the most out of your tractor, long term

Kubota makes your life easier and our Kubota Care Extended Warranty keeps your tractor running as smoothly as it did on day one. This ensures that the value of your machine is reliably protected, far into the future.



### **Kubota Care Benefits**



### **Price Increase Protec-**

Protects you against Inflation

□ VAT

□ Parts

Labour Prices

### **Genuine Parts**

Protects your machine through exclusive usage of Kubota Genuine Parts.

**Kubota Parts and Service** Reliability > for the Job Ahead



### **Cost Protection**

In the case of a warranty claim there will be no additional excess charge.

The Kubota name is widely respected for representing top Japanese quality. All Kubota machines are designed for the toughest working conditions and long running times. Even so, it is impossible to avoid unforeseen damage over the years. With Kubota Care, you can easily cope with the risk of unexpected costs in the future. At the same time, you can avoid unplanned downtime and stay profitable over the long term.

### Comprehensive services

Kubota Care is a comprehensive warranty extension to protect your investment by ensuring a high resale value. The package includes all components covered by the contractual warranty. In the event that a warranty repair is necessary, you are naturally protected from paying any

### The perfect solution

Kubota Care takes one potential worry out of farming life. This service package offers you maximum operational and cost security as well as complete protection beyond the usual warranty obligations. Kubota Care provides you with a fully extended warranty of up to 5 years or 5,000 operating hours (whichever comes first).

### **Full Warranty Coverage**

### What does Kubota Care cover?

Kubota Care is a comprehensive warranty extension that covers all components which are covered during the contractual warranty.



### **Dealer Contact**

In the case of a claim your dealer is your point of contact. That means no hassle with third-party providers and ensures everything works smoothly.



### **Professional Treatment**

Nobody knows your machine better than Kubota trained technicians operating with specialist tools qualified by Kubota.



### **Resale Value**

Increase your machines resale value. Kubota Care is transferable to the new



M5002 -

### **#Technical data**

Model		M5-092		M5	M5-112		
		ROPS	Kabina	ROPS	Kabina		
Motor			KUE	BOTA			
Typ motora	V3800-CR-TIE5						
Zdihový objem/Počet valcov	cm <sup>3</sup>	3769 / 4 valce					
Menovité otáčky	ot./min	2400	2600	2400	2600		
Menovitý výkon (ECE R 120)	hp (kW)	93 (69)	95 (71)	107 (79)	115 (84)		
Maximálny krútiaci moment	Nm	326 358					
Otáčky motora pre max. krútiaci moment	ot./min	1500					
Objem palivovej nádrže	I	105/ 12					
Prevodovka		KUBOTA					
Typ – Hlavný prevodový stupeň		6 rýchlostná synchronizovaná					
Radenie prevodových stupňov			;	3			
Počet rýchlostných stupňov		ROPS : F18 / R18 KABÍNA : F36 / R36 s duálnou rýchlosťou					
Maximálny rýchlosť	km/h	40 Eco					
Overdrive	ot./min	2095					
evodovka		mikroprocesorom riadená elektrohydraulická prevodovka					
lavná spojka		elektrohydraulicky ovládaná, viackotúčová, mokrý					
Typ brzdy		hydraulicky ovládané mokré kotúčové brzdy s automatickým zapínaním prednej nápravy (4WD)					
4WD zapojenie Uzávierka zadného diferenciálu		elektrohydraulické					
Uzávierka zadneno diferencialu  Uzávierka predného diferenciálu		elektrohydraulické  Automatický obmedzený sklz					
PTO			Automation	ty obinicazony skiz			
Speed			540 / 540 Eco ; Voliteľne 540 / 1 000				
tivácia		elektrohydraulické					
Hydraulika							
Výkon čerpadla	l/min	60	64	60	64		
-bodový záves (Kategória II)		rýchloupínacie konce spodných ramien, teleskopické stabilizátory					
Riadiaci systém		ovládanie polohy a ťahu					
Nosnosť na konci ramena	kg	4100					
Počet a typ hydraulických ventilov		Štandart : 1 SE/DE + 1 SCD Maximum : 3					
Štandartná veľkosť pneumatík	F/R	F:360/70R24, R: 480/70R34					
Rozmery a hmotnosť							
Celková dĺžka	mm		40	45			
Celková výška (složený rám)	mm	2681 (2077)	2645	2681 (2077)	2645		
Celková šírka (min. – max.)	mm	1800 - 2195					
Rázvor kolies	mm	2250					
Rozchod kolies front	mm	1560 -1660					
rear	mm	1440 - 1790					
			4.0	100			
Polomer otáčania (bez brzdy) Hmotnosť traktora bez záťaže a doplnkov	m		42	200			

Špecifikácie čelného nakladača							
Model nakladača		Height	Power				
Maximálna výška zdvihu (otočný čap)	mm	3700	3350				
Kapacita zdvihu do maximálnej výšky (otočný čap)	kg	1810	1880				
Maximálny uhol vyklopenia	0	52	64				
Sila trhania (otočný čap)	Ν	24470	28780				
Odsadenie prednej nápravy k otočnému čapu v spodnej pol <mark>ohe mm 1433</mark>							
Maximálny uhol spätného otáčenia	0	40					
Čas zdvihnutia	sec	4.2					
Čas spustenia	sec	2.9					
Čas vysypania lyžice	sec	2.2					
Čas vrátenia lyžice	sec	2.4					

### Kubota (U.K.) Limited

Dormer Road Thame, Oxfordshire, OX9 3UN

### http://www.kubota.co.uk

This publication may not be reproduced in whole or in part in any form without the prior written consent of KUBOTA. It corresponds to the status at the time of going to press. The manufacturer reserves the right to change technical specifications without notice. Some of the parts shown in the publication are optional and are not part of the standard equipment. Information on warranty and safety as well as further product information can be obtained from the responsible KUBOTA authorized dealer.

